

ERW & GI PIPE RANGE				
SIZE	NOMINAL BORE	OUTER DIAMETER (MM)	CLASS	THICKNESS (MM)
½"	15 MM	21.3	LIGHT	2
			MEDIUM	2.6
			HEAVY	3.2
¾"	20 MM	26.7	LIGHT	2.30
			MEDIUM	2.6
			HEAVY	3.2
1"	25 MM	33.4	LIGHT	2.60
			MEDIUM	3.2
			HEAVY	4
1¼"	32 MM	42.2	LIGHT	2.6
			MEDIUM	3.2
			HEAVY	4
1½"	40 MM	48.3	LIGHT	2.90
			MEDIUM	3.2
			HEAVY	4
2"	50 MM	60.3	LIGHT	2.90
			MEDIUM	3.6
			HEAVY	4.5
2½"	65 MM	76.1	LIGHT	3.20
			MEDIUM	3.6
			HEAVY	4.5
3"	80 MM	88.9	LIGHT	3.20
			MEDIUM	4
			HEAVY	4.8
4"	100 MM	114.3	LIGHT	3.60
			MEDIUM	4.5
			HEAVY	5.4
5"	125 MM	139.7	MEDIUM	4.8
			HEAVY	5.4
6"	150 MM	165.1	MEDIUM	4.8
			HEAVY	5.4
SIZE	NOMINAL BORE	OUTER DIAMETER (MM)	THICKNESS (MM)	
8"	200 MM	219.1	5	
			6	
			6.35	
			7	
			8	
			9.5	
10"	250 MM	273	5	
			6	
			6.35	
			7	
			8	
			9.5	
12"	300 MM	323.9	5	

			6	
			6.35	
			7	
			8	
			9.5	
14"	350 MM	355.6	5	
			6	
			6.35	
			7	
			8	
			9.5	
16"	400 MM	406.4	5	
			6	
			6.35	
			7	
			8	
			9.5	
18"	450 MM	457.2	5	
			6	
			6.35	
			7	
			8	
			9.5	
20"	500 MM	508	5	
			6	
			6.35	
			7	
			8	
			9.5	
			6.35	
			7	
			8	
			9.5	
10"	250 MM	273	5	
			6	
			6.35	
			7	
			8	
			9.5	
12"	300 MM	323.9	5	
			6	
			6.35	
			7	
			8	
			9.5	
14"	350 MM	355.6	5	
			6	
			6.35	

			7	
			8	
			9.5	
16"	400 MM	406.4	5	
			6	
			6.35	
			7	
			8	
			9.5	
18"	450 MM	457.2	5	
			6	
			6.35	
			7	
			8	
			9.5	
20"	500 MM	508	5	
			6	
			6.35	
			7	
			8	
			9.5	